	A P AP AI	TA
Notice of Allowability	Application No.	Applicant(s)
	10/748,144	MATSUBARA ET AL.
	Examiner	Art Unit
	Julio R. Perez	2617
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>June 01, 2006</u> .		
2. The allowed claim(s) is/are <u>1-9</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal F	Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Da	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
or biological material	9.	
	·	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Zachary S. Stern (54, 719) on June 16, 2006.

In the claims:

Claim 1

Line 18, "terminal" has been replaced with -- terminals -- on second occurrence.

Line 19, "terminal" has been replaced with -- terminals -- on second occurrence.

Line 19, "is" has been replaced with -- are --.

Line 22, "terminal" has been replaced with -- terminals -- on first occurrence.

Claim 2

Line 1, "A" has been replaced with -- The --.

Claim 3

Line 1, "A" has been replaced with -- The --.

Claim 4

Line 9, delete "communication" after "relay" on first occurrence.

Line 28, insert -- in the plurality of communication terminals -- after "terminal" on second occurrence.

Application/Control Number: 10/748,144

Art Unit: 2617

Claim 5

Line 1, "A" has been replaced with -- The --.

Claim 6

Line 1, "A" has been replaced with -- The --.

Claim 7

Line 1, "A" has been replaced with -- The --.

Claim 8

Line 27, insert -- corresponding -- between "said" and "relay".

Line 28, insert -- corresponding -- between "said" and "relay".

Line 31, insert -- corresponding -- between "said" and "relay".

Line 35, Line 31, insert -- corresponding -- between "the" and "relay" on first occurrence.

Drawings

- 2. The drawings were received on December 31, 203. These drawings are acceptable.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio R. Perez whose telephone number is (571) 272-7846. The examiner can normally be reached on 10:30 6:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph H. Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Julio R Perez Examiner Art Unit 2617

/ 1/ 3/16/06

SUPERVISORY PATENT EXAMINER